



Selene
TEXTILE COLLECTION

Selene
TEXTILE COLLECTION

MADE IN SPAIN

Selene

TEXTILE COLLECTION



Selene
TEXTILE COLLECTION




SONOE C 70



ERSA C 72



SINOPE C 72



JANO C 70




TIONE C 70




METIS C 70



TEMISTO C 70




ELARA C 70



JANO C 72



ERSA C 70



SINOPE C 70



SONOE C 72



TEMISTO C 72



ELARA C 72



TIONE C 72



METIS C 72



ELARA C 20



TEMISTO C 20



ERSA C 20



JANO C 20



TIONE C 20



METIS C 20



SINOPE C 20




SONOE C 20



SONOE C 60



SINOPE C 60



JANO C 60



TIONE C 60



TEMISTO C 60



ELARA C 60



METIS C 60



ERSA C 60






TEMISTO C 35



ELARA C 35



SONOE C 35



JANO C 35



TIONE C 35




METIS C 35



SINOPE C 35




ERSÄ C 35




ERSÄ C 55




SONOE C 55




SINOPE C 55



JANO C 55



TIONE C 55



METIS C 55



TEMISTO C 55



ELARA C 55



JANO C 23



TIONE C 23



METIS C 23



TEMISTO C 23



ELARA C 23



ERSA C 23



JANO C 12



TIONE C 12



METIS C 12



SINOPE C 23




SONOE C 23




SONOE C 42



ELARA C 42




TEMISTO C 42




JANO C 42




ERSA C 42



SINOPE C 42



TIONE C 42



METIS C 42






ELARA C 40



ELARA C 80



TEMISTO C 40




TEMISTO C 80




ERSA C 40




SINOPE C 40



JANO C 40




TIONE C 40



METIS C 40




SONOE C 40



JANO C 80



TIONE C 80



METIS C 80



Selene

TEXTILE COLLECTION



ERSA. Rapport 35x35 cm



EUPORIA. Rapport 70x40 cm

CARACTERÍSTICAS TÉCNICAS TECHNICAL CHARACTERISTICS CARACTÉRISTIQUES TECHNIQUES

NOMBRE NAME NOM	COMPOSICIÓN COMPOSITION COMPOSITION	ANCHO (cm) WIDTH (cm) LARGEUR (cm)	GRAMAJE (g/m²) WEIGHT (g/m²) GRAMMAGE (g/m²)	ABRASIÓN (ciclos) ABRASION TEST (cycles) TEST D'ABRASION (cycles)	PILLING PILLING PILLING	COSTURAS (u/t) SEAM STRENGTH (warp/weft) RESISTANCE DES COUTURES (c/t)
ERSA	45%PAN-55%PES	140	400	35.000	5	4,2/2,5
SONOE	45%PAN-55%PES	140	407	35.000	5	4,3/2,5
SINOPE	45%PAN-55%PES	140	407	35.000	5	4,8/4,7
ELARA	45%PAN-55%PES	140	404	35.000	5	3,5/2,3
TEMISTO	50%PAN-50%PES	140	390	25.000	5	5/3,2
METIS	50%PAN-50%PES	140	355	25.000	5	5,3/3
TIONE	50%PAN-50%PES	140	365	25.000	5	4,8/2,2
JANO	46%PAN-20%CO-34%PES	140	348	25.000	5	2,8/3

ABRASION TEST: UNE-EN ISO 12947-2 PILLING: UNE-EN ISO 12945-2 SEAM STRENGTH: UNE-EN ISO 13936-2

